

Author: Assoc. prof. dr. **GAFTA DAN CĂLIN**

Habilitation thesis title: ***Ecological drivers of plant species abundance and composition in forest communities***

Domain: **Sylviculture**

PUBLICATIONS LIST

RELEVANT PAPERS (limited to the field of Sylviculture)

- Gafta D., Peet R.K., 2020. Interaction of herbs and tree saplings is mediated by soil fertility and stand evergreenness in southern Appalachian forests. *J Veg Sci* 31: 95-106.
- Russo G. Pedrotti F., Gafta D., 2020. Typology and synecology of aspen woodlands in the central-southern Apennines (Italy): new findings and synthesis. *iForest* 13: 202-208.
- Goia I., Gafta D., 2019. Beech versus spruce deadwood as forest microhabitat: does it make any difference to bryophytes? *Plant Biosystems*, 153: 187-194.
- Pedrotti F., Gafta D., 2017. Floristic differentiation between mid-seral communities of abandoned charcoal kilns in the forests of the Gargano Promontory (south Italy). *Turkish Journal of Botany*, 41: 265-272.
- Gafta D., Crișan F., 2010. Scaling allometric relationships in pure, crowded, even-aged stands: do tree shade-tolerance, reproductive mode and wood productivity matter? *Annals of Forest Research*, 53(2): 141-149.
- Gafta D., 2006 – Eco-coenotic distinctiveness of an extrazonal ‘Ice Hole’ biotope in the valley of Cembra (southern central Alps, Trentino). *Polish Botanical Studies*, 22: 195-206.
- Horj P., Gafta D., Groza G., 2006 - Residual ash-maple forest stands in the valley of Vaser (Vișeu forest district): typology and importance for phytodiversity conservation. *Anale ICAS*, 49: 15-29.
- Horj P., Gafta D., 2006 - Spatial structure and dendrometric architecture of an ash-maple forest stand on the valley of Vaser (Vișeu forest district). *Revista Pădurilor*, 3: 20-26.
- Schnitzler A., Closset D., Gafta D., Cristea V., Schwoehrer C., 2004 - Population dynamics and stand mosaics in protected natural beech-fir forests. A comparison between Vosges and Carpathians. *Revue d’Ecologie (Terre et Vie)*, 59: 213-228.
- Michalet R., Rolland C., Joud D., Gafta D., Callaway R.M., 2003 - Associations between canopy and understory species increase along a rainshadow gradient in the Alps: habitat heterogeneity or facilitation? *Plant Ecology*, 165: 145-160.
- Gafta D., Incze R., Poliță M., 2002 - The influence of forest site fertility and sampling scale on species-area curves. *Contribuții Botanice*, 37: 73-83.
- Gafta D., 2002 – The anthropo-zoogenic influence on peri-urban forests. In: Cristea V., Baciu C., Gafta D. (eds.), *The city of Cluj-Napoca and the peri-urban area. Environmental studies*, pp. 241-274. Editura Accent, Cluj-Napoca.
- Pedrotti F., Gafta D., 1999 – Syntaxonomy and distribution of some deciduous forests in Trentino-Alto Adige. *Documents Phytosociologiques*, 19: 495-508.
- Gafta D., 1997 – The anthropogenic impact and its efect on primary forest communities. *Studii si cercetari (St. Naturii)*, Bistrița, 3: 249-254.

Gafta D., 1994 – Typology, synecology and synchorology of the fir forests in the Alps of Trentino. Braun-Blanquetia, 12. Centro Stampa, Universita' di Camerino. 69 pp.

BOOKS / BOOK CHAPTERS

- Roman A., Gafta D., Ursu T.M., Cristea V., 2018. Plant Assemblages of Abandoned Ore Mining Heaps: a case study from Rosia Montana mining area, Romania. In: Greller A.M., Fujiwara K., Pedrotti F. (eds.), Geographical Changes in Vegetation and Plant Functional Types, pp. 303-332. Springer, Berlin – Heidelberg.
- Aleffi M., Pedrotti F., Gafta D., 2016 - Microtopography-induced differentiation of moss synusiae in wet grasslands covering a karst plain in Central Italy (Pian Grande, Central Apennines). In: Box E.O. (ed.), Vegetation Structure and Function at Multiple Spatial, Temporal and Conceptual Scales, pp. 375-388. Springer, Berlin – Heidelberg.
- Gafta D., Muncaci S., 2016 - Large habitat range but low floristic variation: the case of *Festuco rubrae-Agrostietum capillaris* grasslands. In: Box E.O. (ed.), Vegetation Structure and Function at Multiple Spatial, Temporal and Conceptual Scales, pp. 331-355. Springer, Berlin - Heidelberg.
- Cristea V., Gafta D., Pedrotti F., 2015. Phytosociology. Temi, Trento. 405 pp.
- Doniță N., Lupe I.Z., Bândiu C., Ceianu I., Fodor E., Gafta D., Tutunaru V., Ionescu M., Ivan D., Honciuc V., Roșu C., Timoftei C., Parascan D., Bazac G., Neșu I., Surdu A., Palifron V., Simon D., 2011. Experimental forest plantations within the Bărăgan Station. Editura Silvică, Voluntari. 161 pp.
- Gafta D., Mountford J.O. (eds.), 2008 – Manual of interpretation of the Natura 2000 habitats in Romania. Ed. Risoprint, Cluj-Napoca, 101 pp.
- Gafta D. et al, 2008 - Habitats of certain presence in Romania. In: Gafta D., Mountford O. (eds.), Manual of interpretation of the Natura 2000 habitats in Romania, pp. 13-81. Risoprint, Cluj-Napoca.
- Gafta D. et al, 2008 - Habitats of uncertain presence in Romania. In: Gafta D., Mountford O. (eds.), Manual of interpretation of the Natura 2000 habitats in Romania, pp. 82-85. Risoprint, Cluj-Napoca.
- Gafta D. et al, 2008 - Habitats indicated erroneously as present in Romania. In: Gafta D., Mountford O. (eds.), Manual of interpretation of the Natura 2000 habitats in Romania, pp. 86-89. Risoprint, Cluj-Napoca.
- Sârbu A., Sârbu I., Oprea A., Negrean G., Cristea V., Coldea G., Cristurean I., Popescu G., Oroian S., Tănase C., Bartok K., Gafta D., Anastasiu P., Crișan F., Costache I., Goia I., Marușca T., Otel V., Sămărghiuțan M., Hentea S., Pascale G., Răduțoiu D., Baz A., Boruz V., Pușcaș M., Hirițiu M., Stan I., Frink J., 2007 – Special areas for plants protection and conservation in Romania. Ed. Victor B Victor, București.
- Gafta D., Akeroyd J. (eds.), 2006 – Nature Conservation: concepts and practice. Springer, Berlin-Heidelberg-New York. 460 pp.
- Cristea V., Gafta D., Pedrotti F., 2004 – Phytosociology. Presa Universitară Clujeană, Cluj-Napoca. 396 pp.
- Schnitzler A., Gafta D., Cornier T., 2003 – Architectural concepts and ecosystemic particularities in riparian forests. In: Piégay H., Pautou G., Ruffinoni C. (eds.), The forests along water courses, pp. 20-45. Institut pour le Developpement Forestier, Paris.
- Pedrotti F., Gafta D., 2003 – The high mountain flora and vegetation of the Apennines and the Italian Alps. In: Nagy L., Grabherr G., Körner C. & Thompson D.B.A.

- (eds.), Alpine Biodiversity in Europe, pp. 73-84. Ecological Studies, 167. Springer-Verlag, Berlin.
- Cristea V., Gaftă D., Baciu C., Goia I., Drăguț L., Coroiu I., 2003 - Multidisciplinary assessment of the landscape development around the Cluj-Napoca city (Romania). In: Brandt J., Vejre H. (eds.), Multifunctional Landscapes volume II: monitoring, diversity and management, pp. 271-285. Advances in Ecological Sciences 15. Wit Press, Southampton.
- Pedrotti F., Gaftă D., 2003 – Phytogeographical approach to distinction of vegetation megaseries in the Alps of Trentino-Alto Adige (with map 1:250,000). Report no. 30: 1-18. Centro di Ecologia Alpina, Trento.
- Cristea V., Baciu C., Gaftă D. (eds.), 2002 – The city of Cluj-Napoca and the peri-urban area. Environmental studies. Editura Accent, Cluj-Napoca, 332 pp.
- Cristea V., Gaftă D., Baciu C., 2002 – Conclusions and recommendations. In: Cristea V., Baciu C., Gaftă D. (eds.), The city of Cluj-Napoca and the peri-urban area. Environmental studies, pp. 325-332. Editura Accent, Cluj-Napoca.
- Sargolini M., Pedrotti F., Gaftă D., 2000 - Manual for the functional subdivision of national parks. Document of synthesis. vol. 1. Università di Camerino. 58 pp.
- Pedrotti F., Gaftă D., Martinelli M., Patella Scola A., Barbieri F., 1997 – The environmental units of the Stelvio National Park. L'Uomo e l'Ambiente 28. Centro Stampa, Universita' di Camerino. 103 pp.
- Liberman Cruz M., Pedrotti F., Gaftă D., 1997 – Population structure of *Polylepis tarapacana* in Nevado Sajama, Bolivia. In: Liberman Cruz M. & Baied C. (eds.), Sustainable development of montane ecosystems: management of vulnerable areas in the Andes, pp. 59-70. The United Nations University, La Paz.
- Cristea V., Gaftă D., 1997 – The vegetation around the Arcalia village (Bistrița-Năsăud county): general characterization. In: Cristea V. (ed.), Rural space, a pluridisciplinary approach, pp. 41-44. Editura Risoprint, Cluj-Napoca.
- Pedrotti F., Gaftă D., 1996 – Ecology of the riparian and marshy forests in Italy. L'Uomo e l'Ambiente 23. Centro Stampa, Universita' di Camerino. 165 pp.

JOURNAL ARTICLES

- Ardelean I.V., Crișan F., Gaftă D., Roman A., 2019. High lichen species richness but low taxonomic diversity built up on abandoned tailings heaps in a cultural landscape. *Flora*, 251: 68-76.
- Gaftă D., Roman A., Ursu T.M., 2018. Trends in single trait dispersion between early- mid successional stages: the importance of species pool extension and habitat scale. *Journal of Plant Ecology*, 11: 103-113.
- Vassilev K., Ruprecht E., Alexiu V., Becker T., Beldean M., Bită-Nicolae C., Csergő A.M., Dzhovanova I., Filipova E., Frink J.P., Gaftă D. et al., 2018. The Romanian Grassland Database (RGD): historical background, current status and future perspectives. *Phytocoenologia*, 48: 91-100.
- Cristea V., Gaftă D., 2015. The Mediterranean floristic element in the flora and vegetation of Romania. *Flora Mediterranea*, 25: 65-76.
- Gaftă D., 2014. Do species incidence matrices reflect different degrees of plant community integration? *Plant Ecology and Evolution*, 147: 11-21.
- Roman A., Gaftă D., 2013. Proximity to successional advanced vegetation patches can make all the difference to plant community assembly. *Plant Ecology and Diversity*, 6: 269-278.
- Gaftă D., Roman A., Pușcaș M., Şuteu A., 2012. Floristic heterogeneity of *Festuca airoides*-dominated grasslands in the Romanian Carpathians. *Plant Biosystems*, 146: 603-613.

- Muncaci S., Gafta D., Cristea V., Roșca-Casian O., Goia I., 2010 – Eco-coenotic conditions and population structure of *Trollius europaeus* in Valea Morii (Transylvanian Carpathian foothills). *Flora*, 205: 711-720.
- Crișan F., Gafta D., 2010. Lichen communities in the Pădurea Craiului Mountains (Transylvanian Carpathians): a numerical approach to their syntaxonomical classification and ecological ordination. *Braun-Blanquetia*, 46: 197-204.
- Csergo A.-M., Nemes S., Gafta D., Demeter L., Jakab S., 2009 - Two-scale modelling of *Saponaria bellidifolia* Sm. (Caryophyllaceae) abundance on limestone outcrops from its northern range periphery (Southeastern Carpathians). *Plant Ecology*, 203: 229-242.
- Roman A., Gafta D., Cristea V., Mihut S., 2009. Small-scale structure change in plant assemblages on abandoned gold mining waste dumps (Roșia Montană, Romania), *Contribuții Botanice*, 44: 83-91.
- Gafta D., Hentea S., Csergő A.-M., 2006 - Morphometric variation in a rare endemic *Aquilegia* in the Carpathians Mountains. *Plant Biosystems*, 140 (3): 297-306.
- Gafta D., 2006 – Vegetation landscape patterns in the Torricchio Natural Reserve: implication for biological conservation. *La Riserva Naturale di Torricchio*, 12: 61-80.
- Pușcaș M., Gafta D., Cristea V., 2005 - Eco-coenotic analysis of the grasslands dominated by *Carex curvula* in the Romanian Carpathians. *Acta Botanica Gallica*, 152: 497-505.
- Goia I., Gafta D., 2004 - How porophyte-specific are the corticolous bryophyte communities? *Braun-Blanquetia*, 34: 123-127.
- Aleffi M., Cortini Pedrotti C., Gafta D., 2003 - Bryogeographical patterns in the small islands surrounding the Italian Peninsula, Sicily and Sardinia. *Bocconeia*, 16: 93-103.
- Şuteu A., Gafta D., Groza G., 2003 - Reproductive and distribution patterns in two populations of the rare endemite *Astragalus peterii* Jav. (Transylvania, Romania). *Bocconeia* 16: 455-464.
- Cristea V., Gafta D., Pop I., 2002 – Species richness and proportion of endemics in the woody vegetation of Cluj county. *Argessis* (seria Științele Naturii), 9-10: 25-33.
- Gafta D., Pedrotti F., 1998 – Phytoclimate of Trentino-Alto Adige. *Studi Trentini di Scienze Naturali* (Acta Biologica), 73: 55-111.
- Gafta D., Pedrotti F., 1997 – Environmental units of the Stelvio National Park as basis for its planning. *Oecologia Montana* 6: 17-22.
- Pedrotti F., Gafta D., 1997 – Long-term changes in the vegetation of a protected wetland (Laghestel) in the Italian Alps. *St. Cerc. Biol., Seria biol. veget.*, 49 (1-2): 5-16.
- Gafta D., 1996 – Degeneration of fir communities of the class Querco-Fagetea in the Alpes of Trentino (Italy). *Colloques Phytosociologiques*, 24: 181-186.
- Gafta D., 1995 – The fir forests in the Alps of Trentino. *Annali Accademia Italiana Scienze Forestali* (Firenze), 44: 3-8.
- Gafta D., Pedrotti F., 1995 – Typification of two new riparian forest syntaxa in the Italian Peninsula. *Documents Phytosociologiques*, 15: 413-415.
- Ivan D., Doniță N., Gafta D., Canullo R., 1994 – The structure of *Sesleria nitida* pastures in the Torricchio natural reserve. *La Riserva Naturale di Torricchio*, 9: 41-70.
- Gafta D., 1993 – Zonation and dynamics in some riparian forests from south Italy. *Colloques Phytosociologiques*, 20: 233-240.
- Gafta D., Canullo R., 1992 – The role of *Alnus glutinosa* (L.) Gaertner in the secondary succession on wet meadows in the Piné High Plain (north Italy). *Studia Geobotanica*, 12: 105-120.
- Gafta D., 1992 – The vegetation profile on the northwestern slope of the Cermis mountain (Trentino). *Studi Trentini Scienze Naturali*, 67: 35-52.

- Pedrotti F., Gafta D., Manzi A., Canullo R., 1992 – The plant communities in the plain of Pescasseroli (Abruzzo National Park). *Documents Phytosociologiques*, 14: 123-147.
- Pedrotti F., Gafta D., 1992 – Typification of three new riparian forest syntaxa from south Italy. *Documents Phytosociologiques*, 14: 557-560.
- Doniță N., Gafta D., 1992 – New forest ecosystem typology for the forests of Romania. *Documents Phytosociologiques*, 14: 97-113.
- Gafta D., 1991 – Climatological study of the Gîrcina forest district and its application to sylviculture. *L'Italia Forestale e Montana*, 46 (6): 425-450.
- Pedrotti F., Gafta D., 1990 – On the presence of *Buddleja davidii* Franchet in Trento. *Informatore Botanico Italiano*, 22 (3): 197-198.
- Gafta D., 1990 – Botanical and landscape characteristics of the parks of some villas in the surroundings of Camerino (Macerata). *Informatore Botanico Italiano*, 22 (3): 173-177.

PAPERS IN INTERNATIONAL CONFERENCES

- Aleffi M., Cortini Pedrotti C., Gafta D., 1997 – Bryogeographic consideration through a bioclimatic analysis along a sector of the Adige valley. In: Bovio M., Dal Vesco G., Montacchini F. (eds.), *Proceedings of the twelveth symposium of alpine biogeography and ecology*, pp. 379-396. *Supplement Revue Valdôtaine d'Histoire Naturelle*, 51. Association Internationale du Jardin Alpin Chanousia, Aosta.
- Gafta D., 1994 – Phytoclimatic study of the Stelvio National Park (Italian Alps). In: Maarouf A.R., Barthakur N.N., Haufe W.O. (eds.), *Proceedings of the 13th International Congress of Bioclimatology*, pp. 306-320. Environment Canada, Downsview, Ontario.
- Gafta D., Pedrotti F., 1994 – Phytosociological and ecological research in a protected area as basis for its management. The example of Loppio Lake (north Italy). In: Song Y., Dierschke H., Wang X. (eds.), *Applied Vegetation Ecology: 31-40. Proceedings of the 35th Symposium of International Association for Vegetation Science*. East China Normal University Press, Shanghai.

OTHER PAPERS / RELEVANT ACHIEVEMENTS

- Gafta D., Pedrotti F., 2014. Phytogeographic outline of the Rabbi Valley. In: Pedrotti F. (ed.), *Stelvio '70 – Biodiversity, Landscape Dynamics and Mountainous Area Management*, pp. 752-756. *Colloques Phytosociologiques*, 29. TEMI, Trento.
- Tucker G. (coord.), Anastasiu P., Bărbos M., Gafta D., Goriup P., Mountford O., Paucă-Comănescu M., Stănciou T., 2008 - A proposed framework for developing minimum conservation measures for Natura 2000 sites. In: *Outline proposals for Natura 2000 conservation measures under the National Rural Development Programme and Implementation of NATURA 2000 Network in Romania*. Ministry of Environment and Sustainable Development. 41 pp. <http://nora.nerc.ac.uk/id/eprint/21120/>
- Cristea V., Gafta D., Pedrotti F., Bașnou C., 2003 – A triple symbiosis: a plant, (*Paeonia tenuifolia* L.), a peasant (Marcu Sâncrăianu) and a nature reserve (Zau de Câmpie, România). *La Riserva Naturale di Torricchio*, 11: 85-95.
- Csergő A.M., Gafta D., 2000 – Ecological and coenotical relations of the endemic species *Sesleria rigida* ssp. *rigida* Heuff. in the grasslands of the Romanian Carpathians. *Múzeumi Füzetek*, 9: 84-90.

- Pedrotti F., Gafta D., 1997 – Riparian woody communities in Calabria. In: Piccione V., Antonelli C. (eds.), Proceedings. 2nd volume, pp. 291-300. Collana Progetto strategico "Clima, ambiente e territorio nel mezzogiorno", C.N.R., E.g.R. Palermo.
- Pedrotti F., Gafta D., Minghetti P., 1994 – The Bondone Mountain . In: Pedrotti F. (ed.), Guide to the excursion of the Italian Society of Phytosociology in Trentino (1-5 luglio 1994): 5-19. Centro Stampa ed Audiovisivi, Università di Camerino.
- Gafta D., 1994 – The fir forest of Fiavé (Ballino Pass). In: Pedrotti F. (ed.), Guide to the excursion of the Italian Society of Phytosociology in Trentino (1-5 luglio 1994): 73-77. Centro Stampa ed Audiovisivi, Università di Camerino.
- Pedrotti F., Gafta D., 1994 – The wetland of Roncegno. In: Pedrotti F. (ed.), Guide to the excursion of the Italian Society of Phytosociology in Trentino (1-5 luglio 1994): 123-129. Centro Stampa ed Audiovisivi, Università di Camerino.
- Pedrotti F., Gafta D. et al., 1992 – Map of real vegetation of Italy, scale 1:1000000. In: Ministry of the Environment (ed.), Report on the environment state - Cartography (annex). Selca, Firenze.
- Gafta D., 1991 – Ecological subdivisions and natural reserves in Romania. In: Proceedings of the 12th Congress of the Italian Ecological Society (Cosenza, 28 ottobre-1 novembre 1990), pp. 379-381. Edizioni Zara, Parma.

Date: the 4th of September, 2020

Author's
signature,

